Penstemon bicolor (Brandegee) Clokey & Keck SSp. bicolor

YELLOW TWOTONE BEARDTONGUE

FAMILY: Scrophulariaceae, the figwort family.

SYNONYMS: Penstemon palmeri var. bicolor Penstemon pseudospectabilis ssp. bicolor Penstemon bicolor (?)

STATUS:

Heritage Program SENSITIVE LIST, ranks: G3 T2Q S2

USFWS/ESA: species of concern. **STATE OF NEVADA:** none. **BLM:** Special Status Species in Nevada. **USFS:** Humboldt-Toiyabe NF Sensitive Species. **NNNPS:** watch list.

POPULATION CENSUS: 31 occurrences mapped at 1.0 km (0.6 mi) separation, OR **34 occurrences mapped** at 0.16 km (0.1 mi) separation; total estimated **individuals 784+**, total estimated **area unknown**. **TREND:** DECLINING.

IMPACTS AND MAJOR THREATS: Urban expansion of Las Vegas.

INVENTORY EFFORT: Surveys have been extensive and are ongoing. Most recent entered survey 1999, average year of last survey 1980. Years since last entered survey (percent of mapped records at various survey ages): 0-5 yrs: 2.9%; 6-10 yrs: 42.9%; 11-20 yrs: 11.4%; 21-30 yrs: 25.7%; 31-50 yrs: 2.9%; 51+ yrs or unknown: 14.3%.

LAND MANAGEMENT in decreasing predominance: U. S. Bureau of Land Management, private lands, Nevada state lands (?), Humboldt-Toiyabe National Forest (?), National Park Service (?).

RANGE: Clark County, Nevada; also in CA (?). Possible or probable **Nevada endemic.** Maximum **range dimension 95.8 km (59.5 mi)** excluding most disjunct record. **Type specimen** collected in Clark County.

ELEVATIONS RECORDED (NEVADA): 2500-5480 feet (762-1670 meters).

HABITAT: Calcareous or carbonate soils in washes, roadsides, rock crevices, outcrops, or similar places receiving enhanced runoff, in the creosote-bursage, blackbrush, mixed-shrub, and lower juniper zones.

PHENOLOGY: flowering spring. Range of most frequent survey months: April-May.

LIFE-FORM AND HABIT: perennial herb.

DESCRIPTION: not available (see references).

PHOTOGRAPHS: Weixelman and Atwood (1990); Nevada Natural Heritage Program images web page (1998-present), slide collection (1986-present), and files.

ILLUSTRATIONS: Mozingo and Williams (1980), Weixelman and Atwood (1990).

OTHER GENERAL REFERENCES (listed separately): Clokey (1951), Hickman (1993), Niles et al. (1998), Niles et al. (1999).

SPECIFIC REFERENCES:

Clokey, I. W. and D. D. Keck. 1939. Reconsideration of certain members of Penstemon subsection Spectabiles. Bulletin of the Southern California Academy of Sciences 38: 8-13.

Keck, D. D. 1937. Studies in Penstemon V. The section Peltanthera. American Midland Naturalist 18: 790-829.

Morefield, J. D. 1992. Status report for Opuntia whipplei Engelmann and Bigelow var. multigeniculata (Clokey) L. Benson. Carson City: Nevada Natural Heritage Program, prepared for the U. S. Fish and Wildlife Service, Reno.